

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

091974.546B

Source:

IFW16

Date Processed by STIC:

7-29-05

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - cPAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/24/05

BEST AVAILABLE COPY



IFW16

RAW SEQUENCE LISTING

DATE: 04/29/2005

PATENT APPLICATION: US/09/974,546B

TIME: 15:42:38

Input Set : D:\uroc018usd2.txt

Output Set: N:\CRF4\04292005\I974546B.raw

3 <110> APPLICANT: AN, GANG
4 O'HARA, S. MARK
5 RALPH, DAVID
6 VELTRI, ROBERT
8 <120> TITLE OF INVENTION: BIOMARKERS AND TARGETS FOR DIAGNOSIS, PROGNOSIS AND
9 MANAGEMENT OF PROSTATE, BREAST AND BLADDER CANCER
11 <130> FILE REFERENCE: UROC:018USD2
C--> 13 <140> CURRENT APPLICATION NUMBER: US/09/974,546B
C--> 14 <141> CURRENT FILING DATE: 2001-10-10
16 <150> PRIOR APPLICATION NUMBER: 09/662,270
17 <151> PRIOR FILING DATE: 2000-09-14
19 <150> PRIOR APPLICATION NUMBER: 09/097,199
20 <151> PRIOR FILING DATE: 1998-08-12
E--> 22 <160> NUMBER OF SEQ ID NOS: 89
24 <170> SOFTWARE: PatentIn Ver. 2.1

Does Not Comply
Corrected Diskette Needed

(pg. 1-2) ↩

Found
88

ERRORED SEQUENCES

<210> 88 See error explanation on
<211> 6 page 1.
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
Peptide

<400> 88

Gly Leu Glu Cys Cys Leu
1 5

VERIFICATION SUMMARY

DATE: 04/29/2005

PATENT APPLICATION: US/09/974,546B

TIME: 15:42:39

Input Set : D:\uroc018usd2.txt

Output Set: N:\CRF4\04292005\I974546B.raw

L:13 M:270 C: Current Application Number differs, Replaced Current Application Number

L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:889 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:180

L:22 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (89) Counted (88)

BEST AVAILABLE COPY